

UNIVERSITY OF GUJRAT

INVITATION FOR BIDS

| | |
|----------------------|--|
| PROCUREMENT NAME: | PROCUREMENT OF COMPUTERS ETC. TO SET UP A COMPUTER LAB AT FACULTY OF COMPUTING/IT |
|----------------------|--|

IFB No. UOG/DP/2021-22/M&E/13

University of Gujrat invites bids from reputed firms having adequate past experience and financial capabilities, for supply of subject items. Bids shall be processed on **Single Stage Two Envelope Bidding Procedure**. Organization must be registered with Federal Board of Revenue for Income & Sales Tax purposes with active tax payer profile. Bidding documents can be obtained w.e.f. the date of its publication on submission of a written request on company's letter head from the office of the Director Purchase University of Gujrat. Request must be accompanied with **Bid Fee of Rs. 2,000/-** in form of Pay Order/Demand Draft or Cash Deposit challan for tender fee. Tender fee challan can be downloaded from UOG's website (uog.edu.pk). Bidding documents can also be **downloaded from PPRA's website** and Pay Order/Demand Draft of bid fee must be attached along with bid submitted. University shall not be responsible for delays & non-delivery caused by courier firms/post office etc. regarding issuance & receiving of bidding document/proposals etc. **Technical Proposal must contain Bid Security in the form of CDR/Demand Draft/Pay Order of 2% of Estimated Cost in favor of Treasurer, University of Gujrat (Estimated cost is given in tender documents).** Sealed bids in conformity with bidding documents should reach in the office of the Director Purchase UOG, not later than **11:00 AM on 28-04-2022**. Sealed proposals shall be opened on same day **at 11:30 AM** in the presence of bidders or their representatives having valid authority letter from their respective organization. Bids which are incomplete, unsigned & unstamped on bid form, unsealed, without bid security and late by specified time shall not be considered. The University Management may reject all bids at any time prior to acceptance of a bid, as provided under Rule-35 of Punjab Procurement Rules-2014.

**DIRECTOR PURCHASE
ADMIN BLOCK
HAFIZ HAYAT CAMPUS
UNIVERSITY OF GUJRAT
053-3643331-3643334 Ext-117**

GENERAL INSTRUCTIONS FOR BIDDERS

1. Bidders are requested to read each & every clause of bidding documents carefully including instructions for bidder part.
2. Organization must be registered with Federal Board of Revenue for Income & Sales Tax Purposes with active tax payer profile.
3. Bidding documents can be obtained on submission of a written request on company's letter head from office of the Director Purchase University of Gujrat. Request must be accompanied with **Bid Document Fee as prescribed in tender notice**, in form of Pay Order/Demand Draft/ in favor of "Treasurer University of Gujrat" or cash deposit voucher in UOG Misc. Fee. A/C# 6510031945600024, Bank of Punjab UOG Branch Gujrat. Bidding documents can also be **downloaded from PPRA's website** and Pay Order/Demand Draft of bid fee must be attached along with technical bid submitted.
4. **Technical Proposal must contain 2% Bid Security in the form of CDR/Demand Draft/Pay Order in favor of Treasurer, University of Gujrat (Bid security @ 2% of Estimated Cost as given in tender documents).**
5. Bidding procedure of **single stage two envelope** shall be applicable under Punjab Procurement Rule 38 (1) which implies; -
 - i. The bid shall be submitted in a single package consisting of two separate envelopes, containing separately the financial and the technical proposals;
 - ii. The envelopes shall be marked as, "Financial Proposal" and "Technical Proposal";
 - iii. In the first instance, the "Technical Proposal" shall be opened and the envelop marked as "Financial Proposal" shall be retained unopened in the custody of University;
 - iv. University shall evaluate the technical proposal and shall have right to reject proposals which does not conform to specified requirements;
 - v. After the evaluation and approval of technical proposals University shall open the financial proposals of technically acceptable bids for which time, date and venue shall be communicated to bidders in advance;
 - vi. The financial bids found technically not acceptable shall be returned unopened to the respective bidders and;
 - vii. The lowest evaluated bidder shall be awarded contract within the original or extended bid validity period;
6. **Sealed bids** in conformity with bidding documents should reach in the office of the Director Purchase UOG, not later than date & time as prescribed in tender notice Proposals shall be opened on same **day & time as prescribed in tender notice** in the presence of bidders or their authorized representatives.
7. University shall not be responsible for delays & non-delivery caused by courier firms/post office etc. regarding issuance & receiving of bidding document/proposals.
8. Bids which are incomplete, without signatures & stamp, unsealed, without bid security and late by specified time shall not be considered.
9. Bids proposing substandard, low quality or refurbished items shall be rejected. Documentary evidence showing genuineness of brand name, model and country of origin of the product so offered should also be attached, if required.
10. Flags may be applied putting in order all necessary documents and particulars to these instructions. Page numbers should be written on entire proposal with sign & stamp of authorized officials.
11. Bidding organization is expected to quote **proposal in accordance to bid form**. In case it intends to use its own pattern of bid form then every component offered by bidding organization must be clearly identified about its matching/reference component number given in University's prescribed bid form.

12. Bidding organization should submit an **affidavit about its status about present black listing** by Govt. and its subsidiary organizations/ departments/ autonomous bodies.
13. Rates must be quoted in Pak Rupees including all relevant Taxes and **FOR UOG HH Campus** basis.
14. **One person may submit one bid** and if one person submits more than one bids, the procuring agency shall reject all such bids, as provided under Rule-36a of Punjab Procurement Rules, 2014.
15. Successful bidder shall have to enter into **contract agreement** on stamp paper, of **Rs. 1,200/-** or **0.25% of ordered value** whichever is greater, on standard terms & conditions of bidding regarding items, technical specifications, their costs, delivery time, removal of defects, warranty, inspection & completion certification of qualitative and quantitative aspects, billing, payments, closing of contract and other necessary terms.
16. **Performance guarantee** in shape of CDR/Bank Draft/unconditional bank guarantee shall be submitted by successful bidder/contractor equivalent to **5% of contract** amount. Insurance guarantees/cheques or third-party undertakings shall not acceptable.
17. **Quantity** of items may vary (increase/decrease) at the time of supply order, as per decision of the University of Gujrat.
18. Proposals shall remain valid for at **least 120 days**, initially, w.e.f. opening date.
19. University Management may reject all bids at any time prior to the acceptance of a bid, as provided under Rule-35 of Punjab Procurement Rules, 2014.
20. "Under rule 21(1) of Punjab Procurement Rules 2014, University management may, for a specified period, debar a bidder or contractor from participating in any public procurement process, if the bidder or contractor has:
 - I. Acted in a manner detrimental to the public interest or good practices.
 - II. Consistently failed to perform his obligation under the contract.
 - III. Not performed the contract up to the mark.
 - IV. Indulged in any corrupt practice."
21. Conditional bids, if submitted, shall be rejected at any stage of procurement process by the University of Gujrat.
22. Bidder can quote in any item mentioned in tender documents. The bidders shall be awarded work/supply order on item basis.
23. Warranty period shall be as per the warranty offered by the manufacturer.
24. Sample/demonstration of any item can be called, if required.

Evaluation Criteria:

The proposals will be evaluated on the bases of submitted documents/evidences as per following criteria. Therefore, please attach relevant documentary evidence.

a. Technical Evaluation Criteria

- I. Technical Specifications of quoted items must meet technical requirements mentioned in technical details of tender documents (Mandatory criteria condition)
- II. **Qualifying marks** are **60** for following criteria

| Sr. | Criteria | Marks |
|-----|--|-------|
| 1 | <u>Specific Experience</u> of undertaking 3 Similar Assignments with Government Agencies in last 3 years Work order of 33% of Tender Value = 06 Points Work order of 66% of Tender Value = 16 Points Work order of 100% of Tender Value = 25 Points | 25 |
| 2 | Financial Position/Annual Turnover (Bank Statement/Financial Statements/GST Returns for period 01.07.20 to 30.06.21) at closing balance 08 marks for bank balance equal to 33% of Tender Value 16 marks for bank balance equal to 66% of Tender Value 25 marks for bank balance equal to 100% of Tender Value | 25 |
| 3 | Sole distributor or Authorized dealer/partner 40 marks for Platinum Partner 30 marks for Gold Partner 20 marks for Silver Partner 10 marks for Brown Partner/Authorized dealer | 40 |
| 4 | Product warranty (1 year = 05 marks & 2 year = 10 marks) | 10 |

- b. **Financial Bid of those bidders shall be opened whose technical bids are considered as qualified by the respective committee/office as per criteria.**

Bidder Profile

| | | | |
|---|--|---------|---------|
| Firm Name | | | |
| Entity of Firm | <input type="checkbox"/> Individual <input type="checkbox"/> Partnership <input type="checkbox"/> Company <input type="checkbox"/> Other | | |
| Nature of Business | | | |
| Addresses / Branches | | | |
| Telephone / Fax | | | |
| Email | | | |
| Date & Place of Registration | | | |
| Company's NTN / Sales Tax Reg. No. | NTN _____ S.T.N. _____ | | |
| Owner's Detail | Name: _____ CNIC _____ Address _____ | | |
| No. of Employees | | | |
| Year of Establishment | | | |
| Annual Sales | 2018-19 | 2019-20 | 2020-21 |
| | | | |
| Five Major Clients | i) _____ ii) _____ iii) _____ iv) _____ v) _____ | | |
| Bank Details | Bank: _____ A/c # _____ | | |

SIGNATURE

CHECK LIST FOR REQUIRED DOCUMENTS
TO BE ATTACHED WITH TECHNICAL BID

Name of Organization: _____

| Sr. | Document | Attached Yes / No | Flag |
|------------|---|------------------------------|-------------|
| 1 | Copy of CNIC of Authorized Person & Owner | | |
| 2 | 2% Bid Security of Rs._____ to be attached with Technical bid | | |
| 3 | Copy of Registration with FBR with active tax payer profile | | |
| 4 | Certification of Professional Tax | | |
| 5 | Affidavit of Non-Black Listing | | |
| 6 | Authorization / Dealership / Distributor Certificate(s) | | |

TECHNICAL SPECIFICATIONS/REQUIREMENT

Mentioned Brand or Equivalent

Total Estimated Cost is Rs. 9,985,000/-

(2% Bid Security Amount Rs. 199,700/-)

| Sr. | Item | Specifications | Qty | Estimated Unit Cost | Total Estimated Cost |
|-----|--|---|-----|---------------------|----------------------|
| 1 | Desktop Computer | <p>Processor & Chipset 10th Generation Intel Core i7-10700 (2.9 GHz up to 4.8 GHz, 16 MB L3 cache, 8 cores)</p> <p>RAM Memory 16 GB DDR4 2666Mhz</p> <p>Solid State Drive (SSD) 256 GB SSD</p> <p>Hard Disk 1 TB</p> <p>keyboard black wired keyboard with wired optical mouse</p> <p>Graphics</p> <p>Dedicated Graphic Card 4 GB GDDR5</p> <p>Network & Communication</p> <p>Ethernet Technology Integrated</p> <p>10/100/1000 GbE LAN</p> <p>Interfaces/Ports</p> <p>USB Front:1 SuperSpeed USB Type-C 5Gbps signaling rate; 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo</p> <p>Rear:4 USB 3.0 Type-A; 1 audio-in; 1 audio-out; 1 microphone</p> <p>HDMI 1 VGA; 1 HDMI 1.4b</p> <p>Audio 1 surround sound</p> <p>LED Screen</p> <p>HDMI Widescreen TN LED HD+</p> <p>Ports: 1 HDMI 1.4 (with HDCP support); 1 VGA.</p> | 60 | 160,000 | 9,600,000 |
| 2 | Multimedia projector: Panasonic PT-LRZ35 | <p>Projector type 1-Chip DLP projector</p> <p>Panel size 17.0 mm (0.67 in) diagonal, 16:10 aspect ratio</p> <p>Display method DLP™ chip x 1, DLP™ projection system</p> <p>Number of pixels 2,304,000 (1920 x 1200) pixels</p> <p>Light source Light Emitting Diode</p> <p>Light output*13,500 lm</p> <p>Time until light output declines to 50 %*2 20,000 hours</p> <p>Resolution 1920 x 1200 pixels</p> <p>Contrast ratio*1 30,000:1 (When [Light power] is set to [Normal] and [Picture Mode] is set to [Dynamic])</p> <p>Screen size [diagonal] 1.02–7.62 m (40–300 in), 16:10 aspect ratio</p> <p>Lens 1.3x manual zoom (throw ratio: 1.28–1.69:1)</p> <p>Installation Ceiling/floor, front/rear, 2-axis 360-degree installation</p> | 01 | 200,000 | 200,000 |

| | | | | | |
|--------------------|---|--|---------------------------------------|---------|------------------|
| | | HDMI IN 1/HDMI IN 2 HDMI 19-pin x 2 (HDCP and Deep Color compatible), CEC supported COMPUTER 1 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) COMPUTER 2 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) COMPUTER OUT D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) AUDIO 1 IN/AUDIO 2 IN M3 stereo mini-jack x 2 VARIABLE AUDIO OUT M3 stereo mini-jack x 1 LAN RJ-45 x 1 for network control, 10Base-T, 100Base-T, compatible with PJ Link™ (Class 1) Micro USB x 1 (for service use) DC OUT USB Connector (Type A) x 1 (for power supply, DC 5 V/2 A) Power supply AC 100–240 V, 50/60 Hz Power consumption NORMAL: 420 W, ECO: 255 W, QUIET: 196 W Built-in speaker 10 W monaural | | | |
| 3 | Networking switch: Planet: SGS-6341-24T4X | Ports: 24 10/100/1000TX + 4 10GBase-SR/LR SFP+ Type of Switch: Managed Operating Temperature: 0 to 50°C | 01 | 100,000 | 100,000 |
| 4 | RJ 45 Connectors | (Cat-7) | 02 Pack (with 100 piece in each pack) | 15,000 | 30,000 |
| | | (Cat-6) | 04 Pack (with 100 piece in each pack) | 7,500 | 15,000 |
| 5 | Copper Cable | (Cat-6) | 01 Roll | 40,000 | 40,000 |
| Grand Total | | | | | 9,985,000 |

Authorized Person

Name: _____ CNIC No: _____

Phone No. _____ Company Name: _____

Signature: _____

TECHNICAL (BID FORM)

(Each page is of technical bid form is to be filled, signed & stamped by the bidder)

| Sr. | Item | Specifications | Qty | Offered Brand/Specs |
|------------|--|--|------------|----------------------------|
| 1 | Desktop Computer | Processor & Chipset 10th Generation Intel Core i7-10700 (2.9 GHz up to 4.8 GHz, 16 MB L3 cache, 8 cores) RAM Memory 16 GB DDR4 2666Mhz Solid State Drive (SSD) 256 GB SSD Hard Disk 1 TB keyboard black wired keyboard with wired optical mouse Graphics Dedicated Graphic Card 4 GB GDDR5 Network & Communication Ethernet Technology Integrated 10/100/1000 GbE LAN Interfaces/Ports USB Front:1 SuperSpeed USB Type-C 5Gbps signaling rate; 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo Rear:4 USB 3.0 Type-A; 1 audio-in; 1 audio-out; 1 microphone HDMI 1 VGA; 1 HDMI 1.4b Audio 1 surround sound LED Screen HDMI Widescreen TN LED HD+ Ports: 1 HDMI 1.4 (with HDCP support); 1 VGA. | 60 | |
| 2 | Multimedia projector: Panasonic PT-LRZ35 | Projector type 1-Chip DLP projector Panel size 17.0 mm (0.67 in) diagonal, 16:10 aspect ratio Display method DLP™ chip x 1, DLP™ projection system Number of pixels 2,304,000 (1920 x 1200) pixels Light source Light Emitting Diode Light output*13,500 lm Time until light output declines to 50 %*2 20,000 hours Resolution 1920 x 1200 pixels Contrast ratio*1 30,000:1 (When [Light power] is set to [Normal] and [Picture Mode] is set to [Dynamic]) Screen size [diagonal] 1.02–7.62 m (40–300 in), 16:10 aspect ratio Lens 1.3x manual zoom (throw ratio: 1.28–1.69:1) Installation Ceiling/floor, front/rear, 2-axis 360-degree installation HDMI IN 1/HDMI IN 2 HDMI 19-pin x 2 (HDCP and Deep Color compatible), CEC supported | 01 | |

| | | | | |
|---|---|--|---------------------------------------|--|
| | | COMPUTER 1 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) COMPUTER 2 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) COMPUTER OUT D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) AUDIO 1 IN/AUDIO 2 IN M3 stereo mini-jack x 2 VARIABLE AUDIO OUT M3 stereo mini-jack x 1 LAN RJ-45 x 1 for network control, 10Base-T, 100Base-T, compatible with PJ Link™ (Class 1) Micro USB x 1 (for service use) DC OUT USB Connector (Type A) x 1 (for power supply, DC 5 V/2 A) Power supply AC 100–240 V, 50/60 Hz Power consumption NORMAL: 420 W, ECO: 255 W, QUIET: 196 W Built-in speaker 10 W monaural | | |
| 3 | Networking switch: Planet: SGS-6341-24T4X | Ports: 24 10/100/1000TX + 4 10GBase-SR/LR SFP+ Type of Switch: Managed Operating Temperature: 0 to 50°C | 01 | |
| 4 | RJ 45 Connectors | (Cat-7) | 02 Pack (with 100 piece in each pack) | |
| | | (Cat-6) | 04 Pack (with 100 piece in each pack) | |
| 5 | Copper Cable | (Cat-6) | 01 Roll | |

Authorized Person

Name: _____ CNIC No: _____

Phone No. _____ Company Name: _____

Signature: _____

FINANCIAL BID FORM

(Each page is to be filled, signed & stamped by the bidder)

| Sr. | Item | Specifications | Qty. | Unit Rate | Total Rs. |
|------------|--|--|-------------|------------------|------------------|
| 1 | Desktop Computer | Processor & Chipset 10th Generation Intel Core i7-10700 (2.9 GHz up to 4.8 GHz, 16 MB L3 cache, 8 cores) RAM Memory 16 GB DDR4 2666Mhz Solid State Drive (SSD) 256 GB SSD Hard Disk 1 TB keyboard black wired keyboard with wired optical mouse Graphics Dedicated Graphic Card 4 GB GDDR5 Network & Communication Ethernet Technology Integrated 10/100/1000 GbE LAN Interfaces/Ports USB Front:1 SuperSpeed USB Type-C 5Gbps signaling rate; 4 SuperSpeed USB Type-A 5Gbps signaling rate; 1 headphone/microphone combo Rear:4 USB 3.0 Type-A; 1 audio-in; 1 audio-out; 1 microphone HDMI 1 VGA; 1 HDMI 1.4b Audio 1 surround sound LED Screen HDMI Widescreen TN LED HD+ Ports: 1 HDMI 1.4 (with HDCP support); 1 VGA. | 60 | | |
| 2 | Multimedia projector: Panasonic PT-LRZ35 | Projector type 1-Chip DLP projector Panel size 17.0 mm (0.67 in) diagonal, 16:10 aspect ratio Display method DLP™ chip x 1, DLP™ projection system Number of pixels 2,304,000 (1920 x 1200) pixels Light source Light Emitting Diode Light output*13,500 lm Time until light output declines to 50 %*2 20,000 hours Resolution 1920 x 1200 pixels Contrast ratio*1 30,000:1 (When [Light power] is set to [Normal] and [Picture Mode] is set to [Dynamic]) Screen size [diagonal] 1.02–7.62 m (40–300 in), 16:10 aspect ratio Lens 1.3x manual zoom (throw ratio: 1.28–1.69:1) Installation Ceiling/floor, front/rear, 2-axis 360-degree installation HDMI IN 1/HDMI IN 2 HDMI 19-pin x 2 (HDCP and Deep Color compatible), CEC supported COMPUTER 1 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) | 01 | | |

| | | | | | |
|--------------------|---|---|---------------------------------------|--|--|
| | | COMPUTER 2 IN D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) COMPUTER OUT D-sub 15-pin (female) x 1 (RGB/YPBPR/YCBCR) AUDIO 1 IN/AUDIO 2 IN M3 stereo mini-jack x 2 VARIABLE AUDIO OUT M3 stereo mini-jack x 1 LAN RJ-45 x 1 for network control, 10Base-T, 100Base-T, compatible with PJ Link™ (Class 1) Micro USB x 1 (for service use) DC OUT USB Connector (Type A) x 1 (for power supply, DC 5 V/2 A) Power supply AC 100–240 V, 50/60 Hz Power consumption NORMAL: 420 W, ECO: 255 W, QUIET: 196 W Built-in speaker 10 W monaural | | | |
| 3 | Networking switch: Planet: SGS-6341-24T4X | Ports: 24 10/100/1000TX + 4 10GBase-SR/LR SFP+ Type of Switch: Managed Operating Temperature: 0 to 50°C | 01 | | |
| 4 | RJ 45 Connectors | (Cat-7) | 02 Pack (with 100 piece in each pack) | | |
| | | (Cat-6) | 04 Pack (with 100 piece in each pack) | | |
| 5 | Copper Cable | (Cat-6) | 01 Roll | | |
| Grand Total | | | | | |

Authorized Person

Name: _____ CNIC No: _____

Phone No. _____ Company Name: _____

Signature: _____